

BRUSTOR®

B-24 & 25 PRESTIGE

The heavy duty awning



Wind class 3 Prestige arm



Included as standard



integrated LED in the elbow (optional)



B-24

B-25



WIND CLASS 3: UP TO WIND FORCE 6

The B-25 Prestige is the top class awning in the B-25 series. The awning is equipped with wind class 3 arms (**up to 6 Beaufort**). The B-24 is a variant with its entire new design. These 73 mm new arms with **quadruple cables** are approved to the highest European standards (EN 13561). The standard **remote control** operation allows an easy and reliable functioning.

On cooler evenings, the **LED lighting** integrated in the elbow and the **dimmable electric heating** are an interesting option. The B-24 Prestige and B-25 Prestige is available as standard up to a width of 14m and a projection of 3 m, 3,5 m or 3,75 m. **All RAL colours** are standard and there is a choice between hundreds of high quality acrylic fabrics.

Standard:



wind class



remote control



LED



heating



lead rail



valance


Option:

STANDARD COLOURS All RAL colours are standard.

B-24




B-25



DIMENSIONS

Width	min. 3,53 m - max. 14,00 m (coupled from 7 m)
Projection	3,00 m - 3,50 m - 3,75 m
Operation	Somfy RTS motor with remote control
Cassette	22,0 cm high x 14,7 cm deep

Dimmable terrace heating (optional)



B-25 & B-24 ELITE/25 ELITE

Solid elegance for every façade

SOLID AND ELEGANT AT THE SAME TIME

The B-25, B-24 Elite and B-25 Elite are ideal for **big projections**. The B-24/25 Elite is equipped with **71 mm high arms with quadruple cables** which give even greater fabric tension and a maximum projection of 3,75 m. The B-25 has strong arms with 2 cables for a projection up to 3 m. Aluminium welded side plates and a completely closed cassette give the awning an **elegant finishing touch**. They also guarantee a better protection in unfavorable atmospheric conditions. Both are available with a width up to 14 m (coupled) or 7 m (single).

Optional remote controlled **LED lights** can be added on the arm elbows of the awning. Here as well, you can choose between **5 standard colours, 200 optional RAL variations** and hundreds of high quality acrylic fabrics. The many options complete these solid awnings to perfection. In short, thanks to their **compact dimensions**, the B-25 and B-24/25 Elite fit like a glove on every façade.

Option:



remote control



LED



RAL



lead rail



valance



heating

STANDARD COLOURS



Brustor White



R 8019 Brown



R 9001 Cream



Anodised



R 7016
Anthracite grey
(textured)

Other RAL colours in option.



B-24 Elite




B-25



B-25 Elite

DIMENSIONS

	B-24 Elite/B-25 Elite	B-25
Width	min. 2,05 m - max. 14,00 m (coupled from 7,00 m)	min. 2,05 m - max. 14,00 m (coupled from 7,00 m)
Projection	1,50 m - 2,00 m - 2,50 m - 3,00 m - 3,50 m - 3,75 m	1,50 m - 2,00 m - 2,50 m - 3,00 m
Operation	Somfy motor (gear optional)	Somfy motor (gear optional)
Cassette	22,00 cm high x 14,7 cm deep	19,7 cm high x 14,0 cm deep



B-25 / B-24 Elite: 4 cables



B-25: 2 cables

